

**Application Data Sheet**

**Application Information**

Application Number::

Filing Date::

Application Type:: Regular

Subject Matter:: Utility

Suggested Classification::

Suggested Group Art Unit::

CD-ROM or CD-R?:: None

Number of CD Disks::

Number of Copies of CDs::

Sequence Submission?::

Computer Readable Form (CRF)?::

Number of copies of CRF::

Title:: A SILENT CHAIN FOR SMOOTH SEATING  
ON SPROCKET TEETH

Attorney Docket Number:: BW-DKT03039

Request for Early Publication?:: No

Request for Non-Publication?:: No

Suggested Drawing Figure::

Total Drawing Sheets:: 6

Small Entity?:: No

Petition included?:: No

Petition Type::

Licensed US Govt. Agency::

Contract or Grant Numbers::

Secrecy Order in Parent Appl.?:: No

### Correspondence Information

Correspondence Customer Number:: 032175  
Phone Number:: 607-256-2000  
Fax Number:: 607-256-3628  
E-Mail address:: lwood@bpmlegal.com

### Representative Information

Representative Customer Number:: 032175

### Domestic Priority Information

Application::	Continuity Type::	Parent Application::	Parent Filing Date:
	Non-provisional o		

### Foreign Priority Information

Country::	Application number::	Filing Date::	Priority Claimed::
Japan	2002-333317	11/18/02	yes

Assignee Information

Assignee name:: BorgWarner Morse TEC Japan K.K.

Street of mailing address:: 1300-50 Yabata

City of mailing address:: Nabari, Mie

State or Province of mailing  
address::

Country of mailing address:: Japan

Postal or Zip Code of mailing  
address:: 518-0495

### **Applicant Information**

Applicant Authority Type:: Inventor  
Primary Citizenship Country:: Japanese  
Status:: Full Capacity  
Given Name:: Tetsuji  
Middle Name::  
Family Name:: Kotera  
Name Suffix::  
City of Residence:: Nabari  
State or Province of Residence::  
Country of Residence:: Japan  
Street of mailing address:: 1300-50 Yabata  
  
City of mailing address:: Nabari  
State or Province of mailing  
Address::  
Country of mailing address:: Japan  
Postal or Zip Code of mailing  
Address:: 518-0495